

### **SEVERE WEATHER® DOORGLASS**

**IMPACT-RATED TDI APPROVED** FLORIDA BUILDING **COMMISSION APPROVED** 

DESIGNED FOR SECURITY ENGINEERED FOR STRENGTH





#### SAFE. SOUND. SECURE.

If you live in a hurricane zone or other high-wind area, ODL® Severe Weather® doorglass provides an attractive, safe solution.

### **CHOICES CHOICES** CHOICES

- O DECORATIVE DOORGLASS
- O LIGHT-TOUCH® ENCLOSED BLINDS
- O GRAY GLASS TURTLE CODE COMPLIANT
- **O** GRILLES BETWEEN THE GLASS
- O PRIVACY & CLEAR GLASS

### **TESTED TESTED TESTED**

- MISSILE IMPACT TESTED
- O DP DESIGN PRESSURE TESTED
- O STC SOUND TRANSMISSION CLASS RATED
- THERMAL VALUE RATED
- O CODE REQUIREMENT COMPLIANT

### **HOW IT WORKS WORKS WORKS**

- O HURRICANE IMPACT DOORGLASS FRAME
- EXTERIOR IMPACT-RESISTANT LAMINATED GLASS
- THERMALLY SEALED DECORATIVE GLASS, LIGHT-TOUCH® ENCLOSED BLINDS, OR GRILLES BETWEEN THE GLASS
- O INTERIOR TEMPERED SAFETY GLASS

# SEVERE WEATHER TESTED TEXAS & FLORIDA

- MISSILE IMPACT TESTED
- O DP DESIGN PRESSURE TESTED
- O STC SOUND TRANSMISSION CLASS RATED
- O THERMAL VALUE RATED
- O CODE REQUIREMENT COMPLIANT







#### MISSILE IMPACT TESTED

The missile impact test fires an 8-foot long 2"x 4" piece of wood at 50 feet-per-second at designated spots on the doorglass and door slab. The entire unit must remain intact through 9,000 pressure cycles and also pass water-infiltration, structural loading, and forced air-infiltration tests. The test also meets Department of Defense minimum anti-terrorist blast standards.

#### **TEXAS** FIRST TIER COASTAL COUNTIES



### FLORIDA WIND-BORNE DEBRIS REGION



#### DESIGN PRESSURE TESTED

ODL Severe Weather® Doorglass is approved for use in a range of entrance systems and meets Florida and Texas wind-borne requirements in areas where wind speeds can exceed 150 mph. Meets DP±66 wind and missile impact code requirements for the HVHZ areas.

(High Velocity Hurricane Zone)

Please consult your architect, contractor, or building official for the rating needed for your area and home.

#### **ADDED VALUE OF NOISE SUPPRESSION**

ODL Severe Weather® Doorglass offers a quieter alternative to storm shutters which carry a sound rating of 36.

The Sound Transmission Class (STC) value for ODL

Severe Weather® Doorglass is **37** for clear glass and **38** for decorative glass, and is independent of doorglass size.

Third party test reports are available at www.odl.com/techinfo\_STC.htm

#### **MEETS THESE REQUIREMENTS:**

Laminated Glass	ASTM C1172
Termpered Safety Glass	ANSI Z97.1
Frame materials tested to ensure compliance with the International Building Codes' Self Ignition	ASTM D1929
Burn Rate	ASTM D635
Smoke Density	ASTM D2843

FBL FL14924
TDI SK-25
TDI SK-06


DESIGNED FOR SECURITY

### **ENGINEERED FOR STRENGTH**



#### HURRICANE IMPACT FRAME US PATENT #5636484


ODL's patented frame design, which is mechanically fastened in the corners to prevent flex, adds strength to the door. The narrow aluminum extrusion adds strength while maintaining a pleasing shape and the classic frame profile provides a traditional architectural style. A white powder coat surface creates a high gloss, polished finish.



#### **LAMINATED GLASS**

ODL Decorative Doorglass, Blinds and Grilles are sealed between IMPACT-RESISTANT **LAMINATED GLASS** on the exterior and tempered safety glass on the interior.

0.125" Glass Panel 0.090 PVB Inner Layer 0.125" Glass Panel



#### **THERMALLY SEALED**

Insulated for airand water-tight performance.



#### **HOW IT'S BUILT**

- HURRICANE IMPACT ALUMINUM DOORGLASS FRAME
- EXTERIOR IMPACT-RESISTANT LAMINATED GLASS
- THERMALLY SEALED DECORATIVE GLASS, LIGHT-TOUCH® ENCLOSED BLINDS, OR GRILLES BETWEEN THE GLASS
- INTERIOR TEMPERED SAFETY GLASS


### IT'S THE **DOORGLASS** THAT MAKES THE **DIFFERENCE**

We've been researching, designing, refining and building decorative doorglass for decades. We understand what homeowners want. We know what builders need. We know what works, what sells, and what endures. We keep a close eye on building and design trends and respond quickly-getting great new ideas and designs to the market with agility and speed. You won't find anyone with more experience, better ideas, and a keener eye on the doorglass market than ODL.

68 Years of Building Value Into

#### **Expressions**

Classic Style







#### **Satin Nickel or Brass Caming**

**Granite Glass** Clear Bevels Gray Renaissance Glass



Craftsman Style





#### **Oil-Rubbed Bronze Caming**

Thin Reed Glass **Small Hammered Glass** Pale Amber Soft Wave Glass Olive Soft Wave Glass

694 686 651

#### **Paris** Old World Style



### **Patina Caming**

Arctic Glass Clear Bevels Clear Renaissance Glass

#### **Cadence**

Classic Style



#### **Patina Caming**

Clear Bevel Clusters Ripple Glass




Classic Style



#### **Satin Nickel Caming**

Group B Clear Bevel Clusters



### **Carrollton**Old World Style



#### **Patina Caming**

Clear Bevel Clusters

### **Majestic** Classic Style



#### **Nickel Caming**

**Gray Soft Wave Glass** 


#### Topaz

Craftsman Style



#### **Patina Caming**

Clear Bevels **Bronze Soft Wave Glass** Micro-Granite Glass



## Impressions Contemporary Style ©1999 00L



### **Delray**Contemporary Style



#### **Radiant Hues**

Contemporary Style



### Clear Bevels Iced Granite Glass **Streamed Glass**




#### **Patina Caming**

Group B **Gray Soft Wave Glass** Micro-Iced Granite Glass Clear Bevels




#### **Nickel Caming**

Clear Bevels Clear Renaissance Glass **Gray Renaissance Glass** 



### **Compass**Contemporary Style




#### **Nickel Caming**

Clear Bevels

#### **Jacinto**

Old World Style




### Wrought Iron

### Elegant Star Old World Style



#### **Patina Caming**

Clear Bevels



### **Mohave** Eclectic Style





#### **Oil-Rubbed Bronze Caming**

Micro-Iced Granite Glass Gray Soft Wave Glass Bronze Soft Wave Glass Pale Amber Soft Wave Glass Clear Bevels Streamed Glass Small Hammered Glass

#### Grace


Classic Style





#### **Nickel Caming**

Micro-Cubed Glass Micro-Granite Glass Clear Bevels



### **CLEAR/PRIVACY/BLINDS**

ODL Doorglass is available in a wide variety of shapes and styles. All ODL Dorglass features tempered safety glass for lasting strength, is thermally sealed to save energy and insulated to be air and water tight.

### Quality You Can Trust

#### **CHOICES**

**CLEAR GLASS** PRIVACY GLASS LIGHT-TOUCH® ENCLOSED BLINDS GRILLES BETWEEN GLASS GRAY TURTLE CODE GLASS



#### **FEATURES**



#### SAVES ENERGY

Increased energy efficiency translates to increased savings for homeowners.



#### REDUCES SOLAR HEAT GAIN

In cold weather, Low-E glass stays warm on the inside, minimizing cold spots and convection currents.



#### REDUCES CONDENSATION

Cold glass and warm, moist indoor air can cause damaging condensation. Low-E glass keeps glass warmer, reducing condensation.



#### REDUCES FABRIC FADING

Low-E glass protects fabrics, carpets and all coverings from fading by blocking up to 61% of harmful ultra-violet rays.



### **LIGHT-TOUCH BLINDS**

#### **BLINDS**

Raise, Lower & Tilt



#### **TESTED**

RAISE/LOWER SLAM **AIR- WATER RESISTANT** 



Blinds lower neatly within full privacy channels to eliminate light gaps. Uniform color of components provides a clean aesthetic look.



686/687/624-RLB 690/694-RLB



694-BL (tilt only)



612/496-RLB




487-RLB



A single operator controls the raise, lower & tilt for optimal light control, and easy operation.

### **CLEAR & PRIVACY GLASS**



GRAY GLASS	PRIVACY GLASS
612/496 694 22x80 20x80 7x64	686/687 22x64 20x64
493 684 8x80 22x36	694 7x64
686/687 22x64 20x64	684 22x36

#### GBG STANDARD GRILLE GBG PRAIRIE GRILLE

#### **CLEAR GLASS**







GBG STANDARD GRILLE		GBG PRAIRIE GRILLE	CLEAR GI	CLEAR GLASS	
612/496 22x80 18 Light 20x80 18 light	686/687/624 22x64 10 Light 20x64 10 Light	612 22x80	612/496/487 22x80 20x80	694 7x64	
612/496/487 22x80 12 Light 20x80 12 Light 14x80 12 Light	14x64 10 Light 694 7x64 5 Light	686/687 22x64 20x64 694 7x64	14x80 493 8x80	651 22x10 607 22x48	
493 8x80 6 Light	607 22x48 12 Light	607 22x48	686/687/624 22x64 20x64	684 22x36	
686/687 22x64 15 Light 20x64 15 Light	684 22x36 9 Light	684 22x36 Severe Weather® Door	14x64		





ODL products are covered by separate limited warranties. The warranty does not apply to damage from shipping, handling, installation, storage, environmental conditions, or unusual service conditions or usage.

For warranty information contact:

ODL Customer Service 215 East Roosevelt Avenue Zeeland, Michigan 49464 800.253.3900 www.odl.com/contact.htm

